



## FRONTINO 20/40

The flush-fitting sliding door solution.

# FRONTINO 40



## Diverse application for tall cabinets.

**The FRONTINO 40 is a new generation premium product.**

It provides design oriented solution for two flush fitting sliding doors. The new system is impressive with its versatile application options in the weight class of up to 40 kg. Diverse application for tall cabinets, in living areas, bedrooms and kitchens. It can also be used in the project and public area, in offices and in commerce and industry. EKU FRONTINO 40 impresses the user with its efficiency and economy, even during installation. No cabinet processing is required. This saves time and money. Flexible cabinet widths can be created without problems with the innovative hardware set. An easily accessible, continuously adjustable height adjusting facility makes correct installation easier. Designers, manufacturers, cabinetmakers and interior fitters can impress their demanding customers with this exclusive sliding hardware system.

### Technical Specifications

#### FRONTINO 40

<b>Door weight (max)</b>	40 kg (each door)
<b>Door width</b>	594-1194 mm (each door)
<b>Door height (max)</b>	2380 mm
<b>Door thickness</b>	19 mm



## Few creative bounds - for single and double flush doors.

The new FRONTINO 20 is a versatile offering for single and double flush fitting sliding doors.

There are few creative boundaries with this system because the variants include systems with top and bottom running as well as sideboard versions. Its external and internal values are modern, flush-fitting design combined with minimal plinth height and an exact gap pattern. These possibilities inspire creative craftsmen and consumers alike. Operation is a special kind of experience that is carried out through a perfect, ergonomic type of opening and can be felt immediately. The 4-point guidance provides outstanding door stability and the integrated, invisible Soft-Close from ECU provides excellent smooth and silent sliding convenience.

### Technical Specifications FRONTINO 20

<b>Door weight (max)</b>	20 kg (each door)
<b>Door width</b>	596-1195mm (each door)
<b>Door height</b>	370-1200 mm
<b>Door thickness</b>	19 mm

# FRONTINO 20/40 SYSTEM OVERVIEW



## PRODUCT FEATURES:

- > **Flush-fitting design** - sliding solution without door offset.
- > **Extremely convenient operation** - ergonomic opening design.
- > **Flexible cabinet widths** - track set can be shortened individually, no system drillings.
- > **Efficient and cost-effective** - no cabinet modification required.
- > **High quality application** - door is extremely stable thanks to 4 point guidance.
- > **Intelligent installation** - simple, quick door adjustment.

### EKU Frontino 40 H

		Version		For cabinet width mm	For door width mm	Cat. No.
Tall cabinet		Top running, for 2 doors, with installation instructions.	Ⓢ	1200-1799	594-893	406.02.055
			Ⓜ	1800-2199	894-1093	406.02.056
			Ⓛ	2200-2400	1094-1194	406.02.057

### EKU Frontino 20 FB

		Version		For cabinet width mm	For door width mm	Cat. No.
Wall unit		Top running, for 2 doors, with installation instructions.	Ⓢ	1200 - 1799	596 - 895	406.02.040
			Ⓜ	1800 - 2199	896 - 1095	406.02.041
			Ⓛ	2200 - 2400	1096 - 1195	406.02.042
Base unit		Bottom running, for two doors, with installation instructions.	Ⓢ	1200 - 1799	596 - 895	406.02.043
			Ⓜ	1800 - 2199	896 - 1095	406.02.044
			Ⓛ	2200 - 2400	1096 - 1195	406.02.045
Sideboard/ Highboard		Bottom running, for two doors and fixed centre with installation instructions.	Ⓢ	1800 - 2199	594 - 727	406.02.047
			Ⓜ	2200 - 2400	728 - 794	406.02.048
		Bottom running, for one door on the right hand side and fixed component, with installation instructions.	Ⓢ	1200 - 1799	596 - 895	406.02.049
			Ⓜ	1800 - 2199	896 - 1095	406.02.050
			Ⓛ	2200 - 2400	1096 - 1195	406.02.051
		Bottom running, for one door on the left hand side and fixed component with installation instructions.	Ⓢ	1200 - 1799	596 - 895	406.02.052
			Ⓜ	1800 - 2199	896 - 1095	406.02.053
			Ⓛ	2200 - 2400	1096 - 1195	406.02.054

# HÄFELE

Häfele New Zealand Ltd. | 16 Accent Drive | East Tamaki | Auckland 2013  
 Phone: 0800 442 335 | Email: info@hafele.co.nz | [www.hafele.co.nz](http://www.hafele.co.nz)