# The **Designer** Range

PREMIUM DESIGNER PRODUCT RANGE.

THE PERFECT COMBINATION OF THE PRACTICAL AND THE STYLISH.

HXFELE







Häfele believes that the perfect home is about more than just great looks. It is also about creating a space that perfectly combines style with function, and is tailor made to suit you and your lifestyle. This is the Häfele philosophy. Creating individual, inspiring, functional spaces that have a positive impact on the way you live. Together with our Partners, we have the knowledge and expertise to make your home smart, well organised, flexible and future proof. Simply a better place to be.

### **OUR PREMIUM SUPPLY PARTNERS**



## **Contents**

#### **Designer Storage**

Kesseböhmer Tandem Pantry	2
Kesseböhmer Convoy Lavido	
Kesseböhmer Dispensa 170	5
Kesseböhmer Dispensa 300/400	
Kesseböhmer No.15	7
Kesseböhmer Comfort	9
Kesseböhmer Portero	
Kesseböhmer Dispensa Junior III	
Kesseböhmer Dispensa Junior Slim	
Kesseböhmer iMove	
Hafele Free Space	14
GRASS Kinvaro T-Slim	
Kesseböhmer LeMans II Corner	
Ninka Qanto	
Ninka Mondo	

#### **Designer Drawers**

GRASS Nova Pro Scala	24
GRASS Storage Centre	
GRASS Tavinea Sorto	
GRASS Tavinea Optima	
Kesseböhmer Fineline Mosaiq	
Ninka Cusio	
Docking Drawer	
Pop-Up Power	
Point Pod	

#### **Designer Waste Systems**

Ninka One2Five	
Hailo Cargo-Syncro	
Hideaway Concelo Waste Bin	
Ninka Bio Bin	

#### **Designer Bathrooms**

Häfele Multi-Dimensional Mirror50
Häfele Vanity Mirror

#### **Designer Laundries**

Hideaway Concelo Laundry54	
Hailo Laundry	

#### **Designer Sink and Tapware**


BLANCO Etagon
BLANCO Metra
BLANCO Naya
BLANCO Subline
BLANCO Tapware
Häfele Tapware

### **Designer Fittings**

Handles	72
Smart Cube	74
Kesseböhmer YouK Shelving System	76
Loox 1152	80

### **Designer Sliding Fittings**

Eku Frontino	
Slido D-Line 42 100-S	
Slido Design-M	
Hawa Concepta	



## Designer Storage

### HXFELE

PREMIUM DESIGNER RANGE.





### **Tandem** Pantry A FULL, UNINTERUPTED VIEW.

The secret to **Tandem's** optimal overview is the use of door storage. Based upon the same design principle as a fridge, **Tandem** makes use of the door for easy access of frequently used items. As the door is opened the shelving inside the pantry glides out on smooth German quality runners, bringing the contents out to meet YOU.

When opening, the cabinet shelf automatically slides forward.

Cabinet shelf and door

shelf are independently adjusted in height.





### TANDEM PANTRY

No. of trays: 6+6 Internal cabinet height: 1700 mm

Features: Can be used for cabinets with a width between 450, 500 and 600 mm. Includes SoftStopp Plus damper package. Tool-free height adjustment of shelves. German made. Soft closing action. Load capacity 70-85 kg.

External cab width mm	No. of trays	Chrome Finish	Anthracite Finish
Min. 450	6 + 6	545.94.612	545.93.431
Min. 500	6 + 6	545.94.632	545.93.433
Min. 600	6 + 6	545.94.652	545.93.435



## Convoy Lavido

**Convoy Lavido** isn't attached at the front panel, so once the door is opened - the pantry remains inside of the unit so you can quickly access regularly used items at the front of the shelves. When you need to gain access to the back of the pantry **Lavido** can be easily extended out so the entire contents of the pantry is drawn towards you from within the cupboard and is displayed in full view from all three sides. There are not many storage solutions that can offer this benefit - it's true time-saving storage!

**Convoy Lavido** also does not disappoint with its design ... Available with stunning glass and Chrome or Anthracite shelves, it's sure to make a statement.

#### CONVOY LAVIDO

Internal cabinet depth: Min. 500 mm Load capacity: 100 kg Features: Can be used for cabinets with internal width of 400, 450, 500 or 600 mm. Includes SoftStopp Pro damper package. Tool-free height adjustment of shelves. Heavy-duty capacity bottom runner with synchronisation. German made. Soft closing action.

Internal cabinet height mm	To suit cab. width mm	Chrome Finish	Anthracite Finish
2000-2100	400	549.62.513	549.63.513
2100-2200	400	549.62.523	549.63.523
2000-2100	450	549.62.514	549.63.514
2100-2200	450	549.62.524	549.63.524
2000-2100	500	549.62.515	549.63.515
2100-2200	500	549.62.525	549.63.525
2000-2100	600	549.62.516	549.63.516
2100-2200	600	549.62.526	549.63.526







### **Dispensa** 170 SLIMLINE PANTRY.

**Dispensa** has be **Dispensa** pull-outs are unsurpassed when it comes to German quality, smooth action, reliability and durability.

### **DISPENSA 170**

Internal cabinet depth: Min. 500 mm External cabinet width: min. 170 mm Tray dimensions: 100 x 465 x 97 mm Load capacity: 100 kg Features: Door mounted to pull out frame. Includes SoftStopp Pro damper package. Great use of space for the void created between an opening fridge door and the wall due to its narrow 170mm cabinet requirements. German made. Soft closing action.

Internal cabinet height mm	No. of trays	Chrome Finish	Anthracite Finish
1200-1600	4	546.59.110	546.54.410
1600-2000	5	546.59.120	546.54.420
1900-2300	6	546.59.130	546.54.430



### **Dispensa** 300/400 SLIMLINE PANTRY.

Dispensa has been engineered to make maximum use of the full width and depth of the cabinet and it's easy to change the height of individual trays and baskets to suit the contents of your cupboard for optimal storage capacity. All it takes is a gentle pull for this fitting (and its contents) to glide right out in front of you. It's easy to fetch what you want, or to check the contents and labels at a glance.

Dispensa pull-outs are unsurpassed when it comes to German quality, smooth action, reliability and durability.

#### **DISPENSA 300/400**

Internal cabinet depth: Min. 500 mm Tray dimensions: 250 x 465 x 97 or 350 x 465 x 97 mm Can be used for cabinets with external width of 300 or 400 mm Min. internal cabinet depth: 50 mm Load capacity: 100 kg Door mounted to pull out frame. Features:

Includes SoftStopp Pro damper package. German made. Soft closing action.

Internal cabinet height mm	No. of trays	External cabinet width mm	Chrome Finish	Anthracite Finish
1200-1600	4	Min. 300	546.51.311	546.45.401
		Min. 400	546.51.313	546.45.403
1600-2000	5	Min. 300	546.51.321	546.45.411
		Min. 400	546.51.323	546.45.413
1900-2300	6	Min. 300	546.51.331	546.45.431
		Min. 400	546.51.333	546.45.433



One pull and the entire contents from top to bottom is in full view from both sides.

SoftStopp technology ensures

DISPENSA is a popular solution due to its large capacity of up to 100kg.

Easily change shelving heights to suit the contents





### No.15 CONVENIENCE STORAGE.

In a lot of kitchens, valuable storage space goes unused. Turn these spaces into useful extra storage, with one of Kesseböhmer's **No.15** base unit pull-outs which are just 15cm wide. Installed beside the cooker, a **No.15** would be an ideal place to store herbs and spices or other cooking essentials. Unlike other slim storage solutions -**No.15** makes full use of the entire width and depth of the cabinet space for optimal storage.

#### NO.15

Internal cabinet depth: Min. 481 mm Internal cabinet width: Min. 112 mm Tray dimensions: 465 x 104 x 37 DxWxH mm Load capacity: 12 kg (6kg/shelf) Features: Concealed mounted runner allows maximum use of storage space (runner is mounted on right hand side of cab). German made. Soft closing action.

		Internal cabinet height mm	Finish	Anthracite Finish
2-Tier 2	2	Min. 540	549.24.320	549.24.620
Towel Rail	1	Min. 590	549.24.333	549.24.633
Baking Tray	1	Min. 590	549.24.343	549.24.643

7



### **Portero** INTEGRATED SERVICE STATION.

All your cleaning products in one portable pull-out. Kesseböhmer's **Portero** is an integrated service station that can be lifted out with one hand - for perfectly organised cleaning. Simply slide the fitting out, lift and go! The removable plastic trays are high quality and dishwasher safe.

Internal cabinet depth: Min. 480 mm

Features: Organises the storage space in the under sink unit. Easy attachment to cabinet base - easily retrofitted. Removable basket Acid-resistant and dishwasher-safe plastic trays German made



### PORTERO SET 1

External cabinet width mm	Finish	Cat. No.			
Min. 200	White	545.48.760			
	Anthracite	545.48.360			
Internal cabinet height min, 400 mm					



### PORTERO SET 2

External cabinet width mm	Finish	Cat. No.
Min. 320	White	545.48.761
	Anthracite	545.48.361
Internal cabinet height min.	400 mm	






Min. 320



Anthracite Internal cabinet height min. 511 mm







### Comfort KEEP EVERYTHING ON-HAND.

The compact 30-cm base unit pull-out lets you fill every centimetre and customise the pull-out to suit your individual requirements. **Comfort II** is ideal for storing cooking ingredients; it provides an amazing amount of storage space, plus a clear view of all the contents. The pull-out glides softly and smoothly out in front of the cabinet. Everything needed for a great meal is instantly ready at hand.

#### **COMFORT II**

440 mm extension length Mounting: Screw fixing to base and front panel Features: Concealed runners and front brackets. Great against a wall or beside a blind corner unit where access from one side is desirable. Full extension with perfect running characteristics and high lateral stability. SopftStopp damping system. Height adjustable baskets and trays. German made Load capacity 20 kg

Internal cabinet height mm	Version	No. of trays	External cabinet width mm	Chrome Finish	Anthracite Finish
Min. 590	Right	2	230	545.53.660	545.53.460
			300	545.53.662	545.53.464
			400	545.53.664	545.53.468
	Left	2	230	545.53.661	545.53.461
			300	545.53.663	545.53.465
				545.53.665	545.53.469

More sizes and accessories available.





### Dispensa Junior III KEEP EVERYTHING ON-HAND.

Developed specifically as a slim storage unit, millions of **Dispensa's** have been installed around the world. All it takes is a gentle pull for this fitting (and its contents) to glide right out in front of you. It's easy to fetch what you want, or to check the contents and labels at a glance. **Dispensa** has been engineered to make maximum use of the full width and depth of the cabinet and it's easy to change the height of individual trays and baskets to suit the contents of your cupboard for optimal storage capacity. In its third generation the pull-out system for base units proves itself more than ever before a mature and versatile member of the **Dispensa** product family.

#### DISPENSA JUNIOR III

For internal cabinet depth 496 mm For internal cabinet height min. 600 mm Mounting: Attaches to cabinet base Features: Concealed runners and front brackets. Full extension with perfect running characteristics and high lateral stability. Great for in the centre of the kitchen where acess from both sides is desirable. SopftStopp damping system. Height adjustable baskets and trays. Easy to access the contents from both sides. German made Load capacity 24 kg

External cabinet width mm	Tray dimensions mm	Chrome Finish	Anthracite Finish
Min. 300	250 x 465 x 97	545.11.212	545.11.452
Min. 400	350 x 465 x 97	545.11.213	545.11.453
Min. 450	400 x 465 x 97	545.11.614	545.11.484



## Dispensa Junior Slim

The compact 30-cm base unit pull-out lets you fill every centimetre and customise the pull-out to suit your individual requirements. **Comfort II** is ideal for storing cooking ingredients; it provides an amazing amount of storage space, plus a clear view of all the contents. The pull-out glides softly and smoothly out in front of the cabinet. Everything needed for a great meal is instantly ready at hand.

#### DISPENSA JUNIOR SLIM

RISOTTO

Easily change shelving heights to suit the contents

of your cupboard.

More accessories

available.

Refer to: The Complete


Häfele 2020

1.36

For internal cabinet depth 496 mm For internal cabinet height min. 640-728 mm Mounting: Attaches to cabinet base Features: Concealed runners and front brackets. Full extension with perfect running characteristics and high lateral stability. SopftStopp damping system. Height adjustable baskets and trays. German made Load capacity 20 kg

#### Frame set with runners

Traine Set with	ii Tulliloi o		
To suit cabinet width mm 200-400		Chrome Finish <b>545.19.600</b>	Anthracite Finish <b>545.19.300</b>
Front fixing se	et		
To suit cabinet width mm 150		White Finish <b>545.19.680</b>	Anthracite Finish <b>545.19.380</b>
Trays/Shelves	;		
To suit cabinet width mm	Tray dimensions mm	Chrome Finish	Anthracite Finish
150	100 x 465 x 94	546.75.340	545.89.590
300	250 x 465 x 94	546.75.253	546.75.453
400	350 x 465 x 94	546.75.254	546.75.459



### iMove

### PULL-DOWN STORAGE.

In many kitchens the top shelf of overhead cupboards isn't easily accessible, often requiring a stepladder which is less than ideal. This is an issue no longer thanks to **iMove**. Kesseböhmer's **iMove** can be operated with one hand and floats the contents of your top shelf down into easy reach. Even when fully loaded with up to 8kg, movement is effortless thanks to its spring-force technology.

#### IMOVE

Features:	Effortless operation with a smooth and steady action Everything in easy reach.
	Load capacity: 8 kg
	For external cabinet widths: 600 or 900 mm
	Available in White, Anthracite and Silver
	German made

Finish	Version	External cabinet width 600 mm	External cabinet width 900 mm
Anthracite	Single Tray	504.68.313	504.68.315
Anthracite	Double Tray	504.68.323	-
White	Single Tray	504.68.617	504.68.619
White	Double Tray	504.68.623	-
Silver	Single Tray	504.68.913	504.68.915
Silver	Double Tray	504.68.923	-

Ideally this product should be used with a compact Häfele FREE flap fitting to lift cupboard door (as pictured).







### Free Space

#### THE COMPACT FLAP FITTING

Free Space is a hingeless, upward-opening flap fitting of a compact construction that only requires a very shallow installation depth of 63 mm. This makes it suitable for use even with very shallow cupboards. Despite its small size, it can securely support heavy flap weights.



Scan this QR code with your phone camera to view Free Space in action.





### Free Space 1.11

For one piece flaps - Standard application with a handle. For standard stay flap application with front height up to 650 mm. **Opening angle** 90 or 107°



MODEL	WHITE	LIGHT GREY	ANTHRACITE
В	372.27.700	372.27.500	372.27.350
С	372.27.701	372.27.501	372.27.351
D	372.27.702	372.27.502	372.27.352
E	372.27.703	372.27.503	372.27.353
F	372.27.704	372.27.504	372.27.354

	В	C	D	E	F
CABINET HEIGHT	FLAP WEIG	HT KG			
225mm	2.3 - 4.3	3.8 - 7.1	6.4 - 9.3	9.2 - 13.4	13.4 - 19.1
250mm	1.9 - 3.9	3.4 - 6.4	5.8 - 9.1	8.3 - 12.6	12.1 - 17.2
275mm	1.9 - 3.5	3.1 - 5.8	5.3 - 8.2	7.5 - 12.0	11.0 - 15.6
300mm	1.7 - 3.2	2.8 - 5.3	4.8 - 7.5	6.9 - 11.0	10.1 - 14.3
325mm	1.6 - 3.0	2.6 - 4.9	4.4 - 7.0	6.4 - 10.2	9.3 - 13.2
350mm	1.5 - 2.8	2.4 - 4.6	4.1 - 6.5	5.9 - 9.5	8.6 - 12.3
375mm	1.3 - 2.6	2.2 - 4.3	3.8 - 6.0	5.5 - 8.8	8.1 - 11.4
400mm	1.2 - 2.4	2.1 - 4.0	3.6 - 5.6	5.2 - 8.3	7.6 - 10.7
425mm	1.1 - 2.3	2.0 - 3.8	3.4 - 5.3	4.9 - 7.8	7.1 - 10.1
450mm	1.0 - 2.1	1.9 - 3.5	3.2 - 5.0	4.6 - 7.3	6.7 - 9.5
475mm	1.0 - 2.0	1.8 - 3.4	3.0 - 4.7	4.3 - 7.0	6.4 - 9.0
500mm	0.9 - 1.9	1.7 - 3.2	2.9 - 4.5	4.1 - 6.6	6.0 - 8.6
525mm	0.9 - 1.8	1.6 - 3.0	2.7- 4.3	3.9 - 6.3	5.7 - 8.2
550mm	0.8 - 1.7	1.5 - 2.9	2.6 - 4.1	3.7 - 6.0	5.5 - 7.8
575mm	0.8 - 1.7	1.4 - 2.8	2.5 - 3.9	3.6 - 5.7	5.2 - 7.4
600mm	0.8 - 1.6	1.4 - 2.7	2.4 - 3.7	3.4 - 5.5	5.0 - 7.1
625mm	0.7 - 1.5	1.3 - 2.5	2.3 - 3.6	3.3 - 5.3	4.8 - 6.8
650mm	0.7 - 1.5	1.3 - 2.4	2.3 - 3.5	3.2 - 5.1	4.6 - 6.6

### Free Space 1.8

For push open - Handle free one piece flaps. For standard stay flap application with front height up to 650 mm. **Opening angle** 90 or 107°



MODEL	WHITE	LIGHT GREY	ANTHRACITE
В	372.27.705	372.27.505	372.27.355
С	372.27.706	372.27.506	372.27.356
D	372.27.707	372.27.507	372.27.357
E	372.27.708	372.27.508	372.27.358

	В	С	D	E
CABINET HEIGHT	FLAP WEIG	GHT KG		
225mm	2.3 - 4.3	3.8 - 7.1	6.4 - 9.3	9.2 - 13.4
250mm	1.9 - 3.9	3.4 - 6.4	5.8 - 9.1	8.3 - 12.6
275mm	1.9 - 3.5	3.1 - 5.8	5.3 - 8.2	7.5 - 12.0
300mm	1.7 - 3.2	2.8 - 5.3	4.8 - 7.5	6.9 - 11.0
325mm	1.6 - 3.0	2.6 - 4.9	4.4 - 7.0	6.4 - 10.2
350mm	1.5 - 2.8	2.4 - 4.6	4.1 - 6.5	5.9 - 9.5
375mm	1.3 - 2.6	2.2 - 4.3	3.8 - 6.0	5.5 - 8.8
400mm	1.2 - 2.4	2.1 - 4.0	3.6 - 5.6	5.2 - 8.3
425mm	1.1 - 2.3	2.0 - 3.8	3.4 - 5.3	4.9 - 7.8
450mm	1.0 - 2.1	1.9 - 3.5	3.2 - 5.0	4.6 - 7.3
475mm	1.0 - 2.0	1.8 - 3.4	3.0 - 4.7	4.3 - 7.0
500mm	0.9 - 1.9	1.7 - 3.2	2.9 - 4.5	4.1 - 6.6
525mm	0.9 - 1.8	1.6 - 3.0	2.7- 4.3	3.9 - 6.3
550mm	0.8 - 1.7	1.5 - 2.9	2.6 - 4.1	3.7 - 6.0
575mm	0.8 - 1.7	1.4 - 2.8	2.5 - 3.9	3.6 - 5.7
600mm	0.8 - 1.6	1.4 - 2.7	2.4 - 3.7	3.4 - 5.5
625mm	0.7 - 1.5	1.3 - 2.5	2.3 - 3.6	3.3 - 5.3
650mm	0.7 - 1.5	1.3 - 2.4	2.2 - 3.5	3.2 - 5.1



### Kinvaro **T-Slim**

### THE SLIMLINE SOLUTION FOR ONE-PIECE TIMBER FLAPS.

**Kinvaro T-Slim from GRASS** is a concealed flap fitting which requires minimal opening forces and stops at any position. **T-Slim** features an extremely slim design with functional components that can be integrated into cabinet walls. The result is a wall cabinet with invisible technology and maximum space.

### G\*GRASS

### CONCEALED FLAP FITTING FOR WALL CABINETS

Wide fronts are as popular as ever. Their advantages are particularly obvious in wall cabinets. Wide fronts avoid gaps - and when wide fronts are opened, much more storage space is revealed. There is no question that Kinvaro T-Slim also offers an intelligent solution for wide fronts. An additional flap fitting is simply added for cabinet widths of more than 1,200 mm. This creates a powerful trio that increases the load capacity by 50 percent



### POWER FACTOR (LF)

500 - 1100	1000 - 2250

FLAP HEIGHT	FLAP WEIGHT KG		
200mm	2.5 - 5.5	5.0 - 11.3	
250mm	2.0 - 4.4	4.0 - 9.0	
300mm	1.7 - 3.7	3.3 - 7.5	
350mm	1.4 - 3.1	2.9 - 6.4	
400mm	1.3 - 2.8	2.5 - 5.6	
450mm	1.1 - 2.4	2.2 - 5.0	
500mm	1.0 - 2.2	2.0 - 4.5	
550mm	0.9 - 2.0	1.8 - 4.1	

Sample measurements table for selecting the right model based on cabinet height and flap weight including handle.

#### **KINVARO T-SLIM FLAP FITTINGS**

For standard stay flap application with front height up to 550 mm.  $\textbf{Opening angle}\ 107 \text{ or } 75^{\circ}$ 



MODEL Complete set with integrated soft-close dampener

Push-to-open with integrated Tipmatic Plus

POWER FACTOR (LF)	ICE
500 - 1100	372.45.812
1000 - 2250	372.45.822
500 - 1100	372.45.817
1000 - 2250	372.45.827





### LeMans II Corner MAXIMUM USE OF CORNER SPACE.

The signature shape of the LeMans trays is the secret to its high capacity corner storage. Just like the famous Le Mans race track - this fitting uses its carefully thought-out curves to bring the contents of your corner out to meet you for ultimate ease of access. Hardly any effort is required to make the shelves emerge from the cupboard so that you can constantly keep track of what is where and access everything with perfect ease. In a nutshell, LeMans is in pole position for efficiency and convenience.

### LEMANS CORNER

Features:	Trays extend completely out of the unit. Trays operate independently of one another.
	Anti-slip tray base and high quality finish.
	For corner units with 450, 500 and 600 mm doors.
	Height adjustable trays.
	Load capacity: 50 kg (25 kg per shelf)
	German made

Internal cabinet height mm	No. of trays/ version	Door width mm	Chrome Finish	Anthracite Finish
600-750	2/right swivel	450 500 600	541.32.620 541.32.622 541.32.624	541.31.870 541.31.872 541.31.878
	2/left swivel	450 500 600	541.32.621 541.32.623 541.32.625	541.31.871 541.31.873 541.31.879
720-900	2/right swivel	450 500 600	541.32.626 541.32.628 541.32.630	541.31.874 541.31.876 541.31.884
	2/left swivel	450 500 600	541.32.627 541.32.629 541.32.631	541.31.875 541.31.877 541.31.885

### Ninka **Qanto** The automated corner storage solution

Ninka's Qanto provides two or three vertically rising trays for maximum space usage. Suitable for an array of items, store your small electrical appliances, pots and pans, or even a hidden bar. With the simple push of a button it comes into view or is hidden from sight.

Scan this QR code with your phone camera to view the Oanto in action



🗊 Scan me.

NOW WITH INTEGRATED BENCHTOP

\$X











### NINKA QANTO

Dimensions (WxD): 598 x 598 mm Cabinet height closed: 745 mm Cabinet height open: 1245 mm Complete, pre-assembled unit Plinth height: 70-300 mm (cut to size) For top thickness from 12-40 mm

Weight loading: 10 kg (centre shelf), 15 kg (bottom shelf)

#### Version

Α.	2 Shelf	542.73.460
B.	3 Shelf	542.73.461



### Mondo Corner REVOLVING CORNER.

The **Mondo** from Ninka is a space-efficient unit that looks small but can fit bigger items like mixers and large electric woks. Because the shelves rotate out to you it's easy to pick them up and lift to the counter.

Version	Side height mm	Finish	Cat. No.
800 x 800 mm	720	Grey	542.24.503
900 x 900 mm	720	White	542.24.513
900 x 900 mm	720	Grey	542.24.813
900 x 900 mm	750	Grey	542.23.218





## **Designer** Drawers

### HXFELE

PREMIUM DESIGNER RANGE.

### Nova Pro Scala unity of form and function.



### G\*GRASS

**Clear design principles and perfect unity of form and function, makes** GRASS **Nova Pro Scala from Grass the perfect drawer solution.** The puristic design with its striking lines, right angles and small radii gives the double-wall metal drawer sides a timeless, technical and functional look. The special character of GRASS Nova Pro is hallmarked by its perfection down to the last detail and the modular system concept. From the precision craftsmanship of every part as well as the colour and surface finishes, everything is focused on perfect function, top quality and lasting value.

Refer to: The Complete Häfele 2020 from page 7.4

The conventional wooden drawer is basically a foursided box with a front panel. Strictly speaking, we are adopting a back-to-basics approach in offering a 250 or 186 mm drawer side for a high drawer with GRASS **Nova Pro Scala** alongside the 63 mm, 90 mm and 122 mm versions. The new drawer side is high, enclosed and aesthetic.



## Storage Centre with grass Nova pro scala.

All of the smooth running, soft closing and luxurious qualities of GRASS **Nova Pro Scala** - now available as one article number with everything you need, including zero protrusion hinges.



### G\*GRASS

#### NOVA PRO SCALA PANTRY SOLID SIDE DRAWERS

1 x 90 H I 4 x 186H with 40kg runners + internal fronts

Cab. width mm	lce	Silver	Stone
600mm for 16mm sides	551.99.105	551.99.205	551.99.005
1200mm variable width	551.99.115	551.99.215	551.99.015

#### NOVA PRO SCALA PANTRY CRYSTAL PLUS GLASS

1 x 90 H I 4 x Crystal Plus drawers with 40kg runners + internal fronts

Cab. width mm	lce	Silver	Stone
600mm for 16mm sides	551.97.765	551.97.965	551.97.565
1200mm variable width	551.94.799	551.94.999	551.94.599

#### **NOVA PRO SCALA 90H**

Individual drawers with 40 kg runners + internal fronts

Cab. width mm	Ice	Silver	Stone
600mm for 16mm sides	551.99.125	551.99.225	551.99.025
1200mm variable width	551.99.135	551.99.235	551.99.035

#### **NOVA PRO SCALA 186H**

Individual drawers with 40 kg runners + internal fronts

Cab. width mm	Ice	Silver	Stone
600mm for 16mm sides	551.96.125	551.96.225	551.96.025
1200mm variable width	551.96.135	551.96.235	551.96.035

#### NOVA PRO SCALA CRYSTAL PLUS SMOKED GLASS

Individual drawers with 40 kg runners + internal fronts

Cab. width mm	Ice	Silver	Stone
600mm for 16mm sides	551.97.775	551.97.975	551.97.575
1200mm variable width	551.98.755	551.98.955	551.98.555

### Tavinea Sorto Cohesive European Made Inserts.





Whether using one, two or three elements – with the frame system it is possible to fit out drawers of any width quickly and easily. The innovative corner connection of the frames ensures firm attachment to the bottom panel and scratch-free positioning at the side walls and elements. **Tone-on-tone:** The powder-coated frame system matches SCALA drawer sides in form and colour. **Can be combined:** Together with the knife block, the stepped spice rack and foil holder, **Tavinea Sorto** from GRASS creates perfect organisation in the drawer. **Durable:** The robust and scratch-resistant surface gives the steel frames a durable, attractive finish.



### Tavinea Sorto

### COHESIVE EUROPEAN MADE INSERTS.



TAVINEA SORTO UTENSIL DIVIDER		
Width: 186 mm	Stone	Silver
For drawer depth 500mm	557.90.525	557.90.925



 TAVINEA SORTO LARGE

 UTENSIL DIVIDER

 Width: 186 mm
 Stone

 For drawer depth 550mm
 557.90.527

 557.90.927



TAVINEA SORTO 6 COMPARTMENT DIVIDER

For drawer depth 500mm	557.90.526	557.90.926
Width: 276 mm	Stone	Silver



 TAVINEA SORTO 7
 Silver

 COMPARTMENT DIVIDER
 Silver

 Width: 276 mm
 Stone
 Silver

 For drawer depth 550mm
 557.90.528
 557.90.928



 TAVINEA SORTO SPICE RACK

 Width: 186 mm

 \*Dark ash shown
 Light Ash
 Dark Ash

 For drawer depth 500mm
 557.90.695
 557.90.895

 For drawer depth 550mm
 557.91.691
 557.91.891



TAVINEA SORTO ROLL HOLDER

Width: 186 mm *Dark ash shown	Light Ash	Dark Ash
For drawer depth 500mm	557.91.605	557.91.805
For drawer depth 550mm	557.91.695	557.91.895



#### TAVINEA SORTO KNIFE BLOCK

Width: 186 mm

^Dark ash shown	Light Ash	Dark Ash
For drawer depth 500mm	557.90.685	557.90.885
For drawer depth 550mm	557.91.693	557.91.893



#### TAVINEA SORTO DIVIDING RAIL

 Stone
 Stone

 Drawer depth 500 mm
 557.90.545
 Drawer depth 550 mm

ie Sliver	
	90.945 90.946

DESIGNER ANTISLIP MAT Length: 10 m

Width mm	Black	Umber Grey	Umber Grey
500	547.92.389	547.92.589	
550	547.92.388	547.92.588	

B

0

**Designed to perfectly match** the finish of a Scala drawer for absolute unity.

Flexible organisation that can be easily arranged

and rearranged.

### **Tavinea** Optima POT DRAWER PERFECTION.

With **Tavinea Optima** from GRASS small and large stored items remain securely in place. The flexibly useable elements divide the space in drawers to the personal preferences of the user. The dividers in the drawer with the continuously adjustable aluminium profiles can be adjusted at any time - tool free and also after the initial fit.



Length 1098mm (For 1200mm cabinet) Profile length = Internal cabinet width less 70mm

Silver **551.87.970** Stone **551.87.570** 

net width less 7 'n



Silver

Stone

(Two end caps required for each Optima drawer divider)

A

551.87.990 551.87.590



Silver

Stone

0


C

To suit drawer depth 500mm

551.87.980 551.87.580


551.87.580

### Fineline Mosaiq HAND-CRAFTED FINE TIMBER INSERTS.





Made with a material mix of warm timber and fine metal, the range creates a contemporary high-end look. **Fineline Mosaiq** organisers can be arranged to suit your individual needs, so each set is tailored to you. **Fineline** can be arranged in minutes and re-arranged over time as your needs change and families grow. With finishes available in American Oak and European Ash genuine timber - there is a finish to compliment any kitchen palette, or create a striking contrast.



# Fineline Mosaiq PRE-MADE SETS. ORDER SEPARATELY FOR A CUSTOM DRAWER SOLUTION.



FOR 450MM DRAWER B Ash Black 556.05.301 Oak Natural 556.05.401 C Ash Black 556.05.302 Oak Natural 556.05.402 FOR 600MM DRAWER F Ash Black 556.05.303 Oak Natural 556.05.403 I FOR 800MM DRAWER G Ash Black 556.05.304 Oak Natural 556.05.404 H Ash Black 556.05.305Oak Natural 556.05.405 I FOR 900MM DRAWER I Ash Black 556.05.306 Oak Natural 556.05.406 K Ash Black 556.05.308 Oak Natural 556.05.408 I FOR 1000MM DRAWER L Ash Black 556.05.309 Oak Natural 556.05.409 M Ash Black 556.05.310 Oak Natural 556.05.410 I FOR 1200MM DRAWER N Ash Black 556.05.311 Oak Natural 556.05.411 O Ash Black 556.05.312 Oak Natural 556.05.412



# INDIVIDUAL COMPONENTS. ORDER SEPARATELY FOR A CUSTOM DRAWER SOLUTION.



A STORAGE BOX LARGE, LONG 236x472x120mm Ash Black 556.03.350 0ak Natural 556.03.450 | B STORAGE BOX LARGE, SQUARE 236x236x120mm Ash Black 556.03.360 0ak Natural 556.03.460 | C PLATE RACK 340x180x 81mm Ash Black 556.04.330 0ak Natural 556.04.430 | D METAL STORAGE BOX DIVIDER 108x110x79mm 556.08.312 | E CUTLERY DIVIDER, 500MM DEEP 300x472x26mm Ash Black 556.03.300 0ak Natural 556.03.400 F MULTIFUNCTION INSERT 152x472x49mm Ash Black 556.03.330 0ak Natural 556.03.430 | G CROSS INSERT 137x472x37.5mm Ash Black 556.03.390 Oak Natural 556.03.490 | H FOIL ROLL HOLDER, DEPTH 500MM 137x472x45mm Ash Black 556.04.320 0ak Natural 556.04.420 | K 3 PART SPICE INSERT, DEPTH 500MM 137x472x26mm Ash Black 556.04.300 0ak Natural 556.04.400 | M KNIFE BLOCK DEPTH 500MM 137x472x26mm Ash Black 556.04.310 Oak Natural 556.04.410 | O METAL DRAWER BOX CROSS INSERT 221x221x43 mm Graphite Black 5556.08.330 | N DRAWER BOX SHALLOW, SQUARE 236x236x49mm Ash Black 556.03.370 0ak Natural 556.03.470



Note: Inserts ( $\hat{\mathbf{G}}$ ), ( $\hat{\mathbf{W}}$ ), ( $\hat{\mathbf{W}}$ ) can be dropped into multi function insert ( $\hat{\mathbf{F}}$ ) to offer solid sides dependent on drawer configuration. Oak natural shown. Voids are created when using these inserts. Use Antislip matt.

# Ninka Cuisio

Available in 3 finishes: Black, Graphite Translucent and White Translucent.

For Alto or Studio 400 mm 550.28.443 | 450 mm 550.28.444 | 500 mm 550.28.445 | 600 mm 550.28.447 | 700 mm 550.28.448 | 800 mm 550.28.450 | 900 mm 550.28.449 | 1000 mm 550.28.452

European made

For Grass Scala 400 mm 550.28.423 | 450 mm 550.28.424 | 500 mm 550.28.425 | 600 mm 550.28.427 | 700 mm 550.28.428 | 800 mm 550.28.430 | 900 mm 550.28.429 | 1000 mm 550.28.432

The minimalistic design of the **Cuisio** insert makes it a classic choice for your drawers. Translucent plastic trays glow with light reflection - the perfect solution if you are lighting the insides of your drawers. **Cuisio** trays by NINKA, are available in three different colour finishes and suit a variety of drawer widths with adjustable dividers. **Perfectly modular designed for an exact drawer fit.** 

For Alto or Studio 300 mm 556.90.730 | 400 mm 556.90.731 | 450 mm 556.90.732 | 500 mm 556.90.733 | 600 mm 556.90.734 | 700 mm 556.90.739 | 800 mm 556.90.735 | 900 mm 556.90.736 | 1000 mm 556.90.738

For Grass Scala 400 mm 556.90.711 | 450 mm 556.90.712 | 500 mm 556.90.713 | 600 mm 556.90.714 | 700 mm 556.90.719 | 800 mm 556.90.715 | 900 mm 556.90.716 | 1000 mm 556.90.717





# **Docking** Drawer HIDING CABLES FOR A CLUTTER-FREE BENCHTOP AESTHETIC.

**Docking Drawer** is the in-drawer electrical outlet charging and powering today's connected lifestyle. Install **Docking Drawer** in kitchens, bathrooms, closets or professional locker rooms and medical facilities providing an innovative and functional power source for a clutter-free aesthetic.





## DOCKING DRAWER DUO USB PLUG

For powering USB charged devices. Charges up to 4 devices at a time. Max. current (DC): 1.5A at 5V DC per port

White Black







#### **DOCKING DRAWER TRIO USB + POWER PLUG**

For powering hair dryers, straightners and anything requiring 10 amps of service while also providing USB ports for charging. Features: Interlocking safety feature - thermostatic shut off. Cuts power to the outlet if the termperature rises over 50°C. Charges up to 4 devices at a time. Max. current (AC): 10A per outlet at 240V combined USB Max. current (DC): 1.5A at 5V DC per port

White	822.53.151
Black	822.53.153



## Note:

 $\geq$ 51 mm clearance behind drawer required. Recommended ≥75 mm drawer height. Please refer to pg.59 for dimensional drawings.



# THE ECONOMICAL POP-UP POWER SOLUTION.

# Pop-up Power

Häfele vertical pop-up power outlets are an ideal solution for adding power and USB charging ports to kitchen benchtop, office spaces or your home when needed, without compromising the appearance.

Mechanical push-to-open version.



**POP-UP QUAD OUTLET** WITH WIRELESS CHARGING

3 x GPO, 2 x USB A Mounting: Ø 95 mm cutout

Black 822.53.301 White 822.53.302



**POP-UP QUAD OUTLET** WITHOUT WIRELESS CHARGING 3 x GP0, 2 x USB A

Mounting: Ø 95 mm cutout

Black 822.53.290 White 822.53.291



**POP-UP DUO OUTLET** WITH WIRELESS CHARGING 1 x GPO, 2 x USB A

Mounting: Ø 95 mm cutout

Black 822.53.280 White 822.53.281



**POP-UP DUO OUTLET** WITHOUT WIRELESS CHARGING

1 x GPO, 2 x USB A Mounting: Ø 95 mm cutout

Black 822.53.270 White 822.53.271



# **POP-UP POWER SUPPLY. Point** Pod

**Point Pod** is the next generation of benchtop integrated power dock. Featuring electronic opening and height adjustment for different benchtop thicknesses.

# POINT POD COMPACT

2 x GPO Hole Size (mm): Diameter: 100 | Tolerance: +0.3/-0.7 Inner disc size (mm): Diameter: 92 | Tolerance: +0.3/-0.7 Includes 1900mm lead with 3 pin plug

White	822.74.945
Black	822.74.948

# COMPACT USB

1 x GPO, 1 x USB

White822.74.946Black822.74.949

# POINT POD MULTI

3 x GPO, 2 x USB Hole Size (mm): Diameter: 100 | Tolerance: +0.3/-0.7 Inner disc size (mm): Diameter: 92 | Tolerance: +0.3/-0.7 Includes 1900mm lead with 3 pin plug

White	822.74.944
Black	822.74.947






# **Be Inspired.**

WWW.HAFELEHOME.CO.NZ





# **Designer** Waste Systems

PREMIUM DESIGNER RANGE.



# Ninka One2Five

Designed to sit in a hanging frame mounted on twin wall metal drawer sides. System elements are: Pre-assembled hanging frame, waste bin containers to fit frame, full-extension 500 mm drawer runners, metal drawer sides and drawer front fixing components. Choice of individual bin lids or cover plate. Bins are food safe and can also be used for storage.



## **ONE2FIVE FRAME - FOR SCALA DRAWER**

Cab. width mm	Light Grey	Dark Grey
300	502.90.711	502.91.411
400	502.90.713	502.91.453
450	502.90.714	502.91.454
500	502.90.715	502.91.415
600	502.90.716	502.91.416





#### **ONE2FIVE COVER PLATES**

Cab. width mm	Light Grey	Dark Grey
300	502.90.641	502.91.441
400	502.90.643	502.91.443
450	502.90.644	502.87.424
500	502.90.645	502.87.425
600	502.90.647	502.87.427
Rail top plate (2 reqd)	502.90.690	502.87.490

Description	Light Grey	Dark Grey
Small pail - 5.5lt	502.90.510	502.90.610
Small pail - 8lt	502.90.501	502.90.601
Individual lid	502.90.101	502.87.601
3 Compartment lid	502.90.111	502.87.616
Bio filter lid	502.90.131	502.87.631
Large pail - 12lt	502.90.512	502.90.612
Large pail - 17lt	502.90.502	502.90.602
Large pail - 26lt	502.90.503	502.90.603
Large pail - 32lt	502.90.504	502.90.604
Individual lid	502.90.102	502.87.602
5 Compartment lid	502.90.122	502.87.622
Bio filter lid	502.90.132	502.87.632
Dustpan set	502.90.153	502.90.154
Cleaning set	502.90.162	502.87.489



# **Cargo-Synchro Range** MAXIMUM SPACE UTILISATION

The Cargo-Synchro range by Hailo is designed to maximise space utilisation, offering a large size bucket in a minimal area. Cargo-Synchro is a complete waste segregating system with synchronised over extension selfclosing runners that soft-close and are particularly smooth and quiet running. Now available in Slate Grey!



**30 LITRE CAPACITY** CARGO-SYNCHRO ST30 For carcase width 300 mm Slate Grey 502.58.501



**36 LITRE CAPACITY** CARGO-SYNCHRO ST45 For carcase width 450 mm Slate Grey 502.58.502



**54 LITRE CAPACITY** CARGO-SYNCHRO ST60 For carcase width 600 mm Slate Grey 502.58.507

**55 LITRE CAPACITY** CARGO-SYNCHRO ST45 For carcase width 450 mm Slate Grey 502.58.503



**46 LITRE CAPACITY** CARGO-SYNCHRO ST50 For carcase width 500 mm Slate Grey 502.58.504



**44 LITRE CAPACITY** CARGO-SYNCHRO ST50 For carcase width 500 mm Slate Grey 502.58.505



For carcase width 600 mm

Slate Grey 502.58.506

**56 LITRE CAPACITY** CARGO-SYNCHRO ST60



# easy clean and odourless. Waste Bin **Concelo**

**Concelo** has been designed to deliver a waste bin without compromise. Every element has been engineered and tested to ensure it delivers both the form and function that should be expected from a premium kitchen appliance. **Concelo boasts not just a clean design aesthetic, but it helps keep your kitchen looking and smelling clean.** 





### Active Lid System

The Lid is hidden from sight at the top of the bin inside the cabinet, and drops down to close over the buckets when the unit is closed. The motion of the lid is synchronized with the opening and closing action of the unit, which lets you keep your hands free to simply drop waste into the bin.



#### **Controlling Odour**

Managing waste can be a challenge, especially the smell. Concelo overcomes this with its all new Active Lid, designed to help control odours. All components are also removable for washing.

### **Easy Clean Components**

Made from stain resistant polypropylene, they are easily cleaned with soapy water. Simply clip them back into position in seconds. Concelo's Clip'n'Clean trays are not only easy to clean, they avoid any potential food traps in difficult to reach spaces.



#### 2x35 LITRE BUCKETS

Min. cabinet width 450mm Min. internal width 417mm Min internal height 640 mm Min. internal depth 525mm

Arctic White Cinder

503.53.794 503.53.694

View the Hideaway catalogue online.

Scan me.

Arctic White	
Cinder	

503.53.773

503.53.673

**2x15 LITRE BUCKETS** 

Min. cabinet width 400mm

Min. internal width 367mm

Min internal height 335 mm

Min. internal depth 525mm

:

#### **2x20 LITRE BUCKETS**

Min. cabinet width 400mm Min. internal width 367mm Min internal height 440mm Min. internal depth 525mm

Arctic White Cinder

/11111	
503.53.783	
503.53.683	

# simple organic waste disposal. Ninka **Bio Bin**


ninka\*

**Bio Bin** simply hangs on the outside of a cabinet door to capture your food waste, such as vegetable peelings, and then unhooks to store inside the cabinet when not in use. It's ergonomic and easy to use.

# NINKA BIO BIN

Dimensions (WxDxH): 227 x 172 x 170 mm Suitable for door thickness: 16-22 mm

Finish Dark grey **50** 



# **Designer** Bathrooms

# HAFELE

PREMIUM DESIGNER RANGE.









# SEE YOUR BATHROOM IN A NEW LIGHT.

# Multi-Dimensional **Bathroom Mirror**

The Multi Dimensional MIrror (shown below) comes fully assembled and unites the functions of make-up light, room lighting, mood lighting, mirror defogger and sound system in an elegant design.



#### MULTI-DIMENSIONAL MIRROR

Colour change from cool white or warm white Make-up lighting, mood lighting, demister and bluetooth capable sound system all in one.

900 x 600mm

983.19.011



#### MULTI-DIMENSIONAL MIRROR

Colour change from cool white or warm white Make-up lighting, mood lighting, demister and bluetooth capable sound system all in one.

900 x 900mm

983.19.021



#### MULTI-DIMENSIONAL MIRROR

Colour change from cool white or warm white Make-up lighting, mood lighting, demister and bluetooth capable sound system all in one.

900 x1200mm 983.19.031

# Vanity Mirror

The innovative Illuminated Vanity Mirror allows the user to select the desired light colour by simply touching the mirrors surface. Additionally; it rotates, magnifies and swivels on a pivot arm and is designed to last thanks to its rust-proof high quality coating.



**ILLUMINATED VANITY MIRROR** With 5 x magnification, 5W

Warm white or Daylight White can be selected via touch keys. Mirror dimension: 190 x 190 x 30mm Max. extension length: 385mm

Chrome plated polished 983.27.002



**ILLUMINATED VANITY MIRROR** With 5 x magnification, 5W

Warm white or Daylight White can be selected via touch keys. Mirror dimension: 190 x 190 x 30mm Max. extension length: 385mm

Graphite black **983.27.003** 



**ILLUMINATED VANITY MIRROR** With 5 x magnification, 5W

Warm white or Daylight White can be selected via touch keys. Mirror dimension Ø: 216mm Max. extension length: 385mm

Chrome plated polished **983.27.012** 



**ILLUMINATED VANITY MIRROR** With 5 x magnification, 5W

Warm white or Daylight White can be<br/>selected via touch keys.Mirror dimension Ø: 216mm<br/>Max. extension length: 385mmGraphite black983.27.013



VANITY MIRROR With 3 x magnification


Swivels and rotates via double pivot arm, stainless steel/brass. Dimension: 445 x 308 x 31.5mm Mirror dimension Ø: 200mm

Chrome plated polished **980.60.922** 



**VANITY MIRROR** With 3 x magnification

Swivels and rotates via double pivot arm, stainless steel/brass. Dimension: 445 x 308 x 31.5mm Mirror dimension Ø: 200mm Graphite black **980.60.923** 



# **Designer** Laundries


# HXFELE

PREMIUM DESIGNER RANGE.



# THE PREMIUM LAUNDRY HAMPER FROM HIDEAWAY. Concelo<sup>®</sup> Laundry

Two hampers can be installed side by side in your laundry to separate washing. Concelo<sup>®</sup> Laundry Hampers can also be integrated into wardrobe or bathroom cabinetry to discreetly hide laundry. The large 60L hamper is big enough to cope with a family load of washing and still be easy to remove and carry. Made from light-weight polypropylene, it features air vents to reduce moisture, moulded handles for easy grip and a solid base to prevent drips.








HIDEAWAY

🚺 Scan me.



# THE LATEST IN FUNCTIONAL LAUNDRIES.

# HAILO Laundry

The modular system that stores everything for your laundry in one place neatly out of sight, until it's needed. Ironing, sorting washing and cleaning can all be achieved from the one base. The patented pin-screw system ensures fast and easy installation. What's more, the clearance needed for door-hinges is easily adjusted by turning the knurled nuts to get the modules slightly off centre - whether left hand or right hand hinged doors.





Removable baskets make sorting or transporting of washing a breeze.



The Hailo Laundry Carrier with its two large volume laundry-baskets of 33 litre capacity each, provides sufficient space for two washing machine loads of laundry. The large baskets are easy to remove, carry around and to place anywhere on the floor even when fully loaded, thanks to the ergonomic handles and manageable sized hampers.

### LAUNDRY-CARRIER 45

66 (2x33) Litre capacity For carcase width: 450mm White with white and blue hampers **502.72.722** 

#### **LAUNDRY-CARRIER 60**

2x33, 1x12 and 1x2.5 Litre capacity For carcase width: 600mm White with white and blue hampers 502.72.724



# PULL-OUT SHELF + BASKET

Basket designed to hold one load of washing. Width 562-578mm Depth 472mm Height 360mm Material: Metal/Plastic White/Blue 520.06.740

The pull-out shelf with basket solution is smooth running, thanks to German made quality and the baskets are large and robust (left).


View the DressCode catalogue online.

# Häfele **Dresscode**

# THE LATEST IN WARDROBE ORGANISATION.

A perfect wardrobe is as individual as you are. Perfect in form and function, with custom storage. Adding handles and elegant sliding doors turns the wardrobe into a complete design experience. **Dresscode** offers a complete range of add-on fittings and everything blends seamlessly for a cohesive look. Choose from a vast array of functional fittings that allow a clear overview of the contents of your wardrobe and save time through clever organisation ... all with a stylish design.





#### The Wardrobe Lift

A convenient way to use the "air space" in the closet. Simply pull the wardrobe lift down to the desired height and then let it gently glide back upwards.

#### The Wardrobe Rail

The wardrobe rail as an intelligent rail system. Integrated rubber strip for noise reduction, integrated illumination with indirect light, sliding hooks for handbags and accessories.

# The Pull-Out Frame

The basic system for inserts & attachments. Individual panels available: Shallow and deep boxes, laundry bag, shoe rack and jewellery inserts.

#### The Pull-Out Trouser Rail

Practical, space-saving and with convincing design. It is virtually indispensable in any wardrobe.



# **Designer** Sink and Tapware

PREMIUM DESIGNER RANGE.

# Silgranit PuraDur II **Designed to last.**

The composite kitchen sinks contain 80% quartz sand, which is the hardest element of granite.

Thanks to its excellent components SILGRANIT<sup>®</sup> PuraDur<sup>®</sup> offers an easy care and level of resistance that has never been offered before for coloured composite sinks.





100% safe for food preperation.



Heat resistant up to 280°.





# OFFERING INNOVATIVE DESIGNS AND PREMIUM FUNCTIONALITY. BLANCO **Etagon**

BLANCO **Etagon** is an innovative sink system that features a subtle 'step' on the inner side of the sink. This step allows the specially designed 'rails' to be positioned in the sink. Use the rails to hold dishes while they are drying, to transfer hot pots or drainers ... even place them on the bench. The large bowl also makes it easy to clean cumbersome kitchenware such as baking trays. BLANCO **Etagon** is available in Stainless steel or Silgranit coloured stone finishes.


Heat resistant up to 280° celcius

Scratch resistant

Impact resistant

O

0





# ETAGON 500-U

For base cabinet: 600 mm Bowl depth: 190 mm I Corner Radius: 35 mm Mounting: Undermount

Stainless Steel	567.66.600
White	567.66.550
Rock Grey	567.72.556
Anthracite	567.66.530
Black	567.72.356

# ACCESSORIES

 Colander
 174 x 436 mm
 565.69.112

 Additional rails
 60 x 386 mm
 565.69.250

 Glass chopping board
 240 x 435 mm
 565.69.152

 Timber chopping board
 240 x 424 mm
 565.69.056

\*Supplied with: Waste fitting with space saving pipe, 31/2" Basket strainers, one pair of rails.



## **BLANCO METRA 6 S**

Can be installed either way round and also as an undermount sink Bowl depth: 190/130 mm Mounting: Bowl reversible

Anthracite	565.71.310
White	565.71.710
Alu-Metallic	565.71.910
Rock Grey	565.71.510



# **BLANCO METRA XL 6 S**

Can be installed either way round and also as an undermount sink For base cabinet: 600 mm I Bowl depth: 190 Mounting: Bowl reversible

Anthracite
White
Alu-Metallic
Rock Grey
Black

565.76.390 565.76.790 565.76.990 565.67.590 565.76.396



# **BLANCO METRA 9**


Can be installed either way round and also as an undermount sink For base cabinet: 900 mm I Bowl depth: 190 / 190 I Mounting: Bowl left

Anthracite
White
Alu-Metallic
Rock Grey

565.70.352
565.70.752
565.70.952
565.70.552

\*Supplied with: Waste fitting with space saving pipe, 31/2" Basket strainers

# SILGRANIT™ PURADUR™ II BLANCO **Metra**



# SILGRANIT™ PURADUR™ II BLANCO **Naya**





## NAYA 6

Can be installed either top mount or undermount sink For base cabinet: 600 mm I Bowl depth: 200 Corner radius: 15 mm

Anthracite	565.71.340
White	565.71.740
Alu-Metallic	565.71.940
Rock Grey	565.71.536
Black	565.71.336



# **BLANCO NAYA 8**

Can be installed either top mount or undermount sink For base cabinet: 800 mm | Bowl depth: 200 / 200 | Corner radius: 15 mm

- Anthracite White Alu-Metallic Rock Grey
- 565.71.340 565.71.740 565.71.940 567.70.546



# NAYA 8 S

Can be installed either topmount or undermount sink For base cabinet: 800 mm I Bowl depth: 200 / 200 I Corner radius: 15 mm Mounting: Bowl left only

Anthracite White Alu-Metallic Rock Grey 565.71.350 565.71.750 565.71.950 565.71.556

\*Supplied with: Waste fitting with space saving pipe, 31/2" Basket strainers

# SILGRANIT™ PURADUR™ II BLANCO **Subline**



BLANCO SUBLINE 180-U For base cabinet: 200 mm Bowl depth: 130 mm I Corner radius: 10 mm Mounting: Undermount

Anthracite	
White	
Alu-Metallic	

565.71.370 565.71.770 565.71.970



BLANCO SUBLINE 400-U For base cabinet: 500 mm Bowl depth: 190 mm I Corner radius: 10 mm Mounting: Undermount

Anthracite	565.82.370
White	565.82.770
Alu-Metallic	565.82.970
Rock Grey	565.82.576
Black	570.26.306



BLANCO SUBLINE 320-U For base cabinet: 400 mm Bowl depth: 190 mm I Corner radius: 10 mm Mounting: Undermount

Anthracite White Alu-Metallic Rock Grey 565.81.350 565.81.750 565.81.950 565.81.550



BLANCO SUBLINE 500-U For base cabinet: 600 mm Rowl depth: 190 mm | Corper radius: 10 mm

Alu-Metallic

Rock Grey

Black

Mounting: Undermount	
Anthracite	567.67.3
White	567.67.7



\*Supplied with: 31/2" Basket strainers, fixing kit (sealing on site).

# SILGRANIT™ PURADUR™ II BLANCO **Subline**



BLANCO SUBLINE 340/160-U For base cabinet: 600 mm Bowl depth: 190 / 130 mm I Corner radius: 10 mm Mounting: Undermount

Anthracite
White
Alu-Metallic
Rock Grey

567.69.330
567.69.730
567.69.930
567.69.536



BLANCO SUBLINE 480/320-U For base cabinet: 900 mm Bowl depth: 200 / 200 mm I Corner radius: 10 mm Mounting: Undermount

567.66.340
567.66.740
567.66.940
567.66.546
567.66.346



BLANCO SUBLINE 350/350-U For base cabinet: 800 mm Bowl depth: 200 / 200 mm I Corner radius: 10 mm Mounting: Undermount

Anthracite		
White		
Alu-Metallic		
Rock Grey		
Black		





### **BLANCO SUBLINE 700-U LEVEL**

For base cabinet: 800 mm Bowl depth: 140 / 200 I Corner radius: 10 mm Mounting: Undermount

Anthracite	567.81.370
White	567.81.770
Alu-Metallic	567.81.970
Rock Grey	567.81.570
Black	567.81.366

\*Supplied with: \*31/2" Basket strainers, fixing kit (sealing on site).

# OFFERING INNOVATIVE DESIGNS AND PREMIUM FUNCTIONALITY.

# BLANCO Tapware





#### **BLANCO LINUS**

Anthracite White Rock Grey 569.10.390 569.10.790 569.10.590

\*Suitable with high mains pressure water cylinders only.





## **BLANCO ALTA COMPACT**

Anthracite / Chrome	
White / Chrome	
Rock Grey / Chrome	

569.06.300 569.06.700 569.10.560

\*Suitable with high mains pressure water cylinders only.



#### **BLANCO LINUS-S**

Anthracite White Rock Grey 569.06.340 569.06.740 569.10.540

\*Suitable with high mains pressure water cylinders only.



### **BLANCO ALTA-S COMPACT**

Anthracite / Chrome White / Chrome Rock Grey / Chrome 569.05.380 569.05.780 569.10.580

\*Suitable with high mains pressure water cylinders only.



#### **BLANCO CULINA-S**

Chrome Stainless Steel 569.06.220 569.06.020

\*Suitable with high mains pressure water cylinders only.







### FUNCTIONAL AND ECONOMICAL

### Häfele Tapware





**GOOSENECK TAP** Matt Black 569.41.310

**GOOSENECK TAP** Polished Chrome

566.58.220



SQUARELINE MIXER TAP Polished Chrome

569.40.250

Polished Chrome

**GOOSENECK MIXER TAP** 

569.40.240



**MIXER TAP RECTANGLE** 

Polished Chrome



569.40.270



569.40.230

FLEXIBLE RECTANGLE

Polished Chrome

569.40.260

Polished Chrome


566.58.230



FLEXIBLE GOOSENECK



FRESH AND BOLD WHITE



### **Designer** Fittings

### HXFELE

PREMIUM DESIGNER RANGE.

### **H1925** Handle Series





Black, matt 106.69.404



Antique, brass plated 106.69.403



Brass plated, brushed 106.69.502



Black, matt 106.69.501

### H1910



Champagne coloured, matt 106.70.000



Black, matt 106.70.003



Brass plated, polished 106.70.005



Antique, brass plated 106.70.006







Stainless steel 132.15.630



Chrome plated, polished 132.15.230



Black, matt 132.19.211



Brass plated, brushed **132.19.210** 



### BLACK IS THE NEW BLACK. Black Handle Series



Nickel plated, black polished 106.61.354



Nickel plated, black polished 106.62.606



Black, matt 110.34.355



Black, matt 106.62.195

Black, matt 110.35.376





Antique, iron 131.10.517



Nickel plated, black polished 106.61.304



Oil rubbed, bronze 106.61.124



Oil rubbed, bronze 106.61.044



Black, matt 110.34.306





### Smart Cube

**Incredibly smart. Smart Cube** is a shelving system that can do almost anything and looks good in the architecture of any room. Thanks to its core, a small intelligent cube it can be extended as required and is very stable, whether integrated in existing furniture concepts or fixed to the wall, individually or in groups, one on top of the other or adjacent. Technically perfect, visually enriching and virtually invincible. With its elegant profile geometry, **Smart Cube** makes an attractive addition to any room.







Weight: 50 kg/m<sup>2</sup> max. Material: Aluminium For shelf thickness: ≤16 mm Depth: 250 mm

DIM (H X W) MM	BLACK
300 x 600	793.06.331
300 x 900	793.06.332
300 x 1200	793.06.333
390 x 600	793.06.361
390 x 900	793.06.362
390 x 1200	793.06.363
450 x 600	793.06.341
450 x 900	793.06.342
450 x 1200	793.06.343



#### Order reference

> Drop-in shelves not supplied.
 > Cutting dimensions of board material (WxD) = B - 38 mm x 212 mm



### Supplied with:2 End sections


- > 4 Pole sections> Fixing material (wall plugs for solid brick walls,
- > screws, cover caps).


### YouK Shelving System

#### THE VERSATILE, GERMAN MADE SHELVING SYSTEM.

As a wardrobe, in the kitchen, as a wall unit, in the bathroom or office - Kesseböhmer YouK turns storage into a design feature. YouK shelving also features a teflon coating to ensure it's scratch resistant and will look good for many years to come. The various frame sizes can be combined and arranged in many ways to create different shelf heights and different looks can be achieved depending on the choice of shelf material and thickness.







### Spacing:

Top and bottomMid sections100mm (all depths)350mm (320 depth)

Mid sections 232mm (200 depth)

DESCRIPTION	DEPTH MM	CAT. NO.
YouK shelving midway unit 668mm high	200	793.20.310
YouK shelving midway unit 905mm high	200	793.20.311
YouK shelving unit 550mm high	320	793.20.301
YouK shelving unit 905mm high	320	793.20.302
YouK shelving larder unit 1500mm high	320	793.20.303
YouK shelving larder unit 2200mm high	320	793.20.304
YouK adjustable foot (100mm)		793.20.390

KESSEBÖHMER

CLEVER STORAGE

# The essence of four generations.







Light integrated in drawers illuminates the contents for ultimate ease of access. A switch can be added so the light will automatically switch on and off when the drawers are opened and closed.



Plinth lighting can really bring the wow-factor to a kitchen design. It's the perfect ambient light - as well as a stunning design emphasis. The perfect finishing touch to showcase a stunning design.

### Easy. Logical. Linear. LOX5





Soft lighting that falls directly onto the worktop is the perfect illumination for work surfaces - offering **ample task lighting for cooking, chopping and preparing.** Ideally this should be a neutral white light.



The main purpose of the ceiling light is to serve as a basic overall light, which, by its nature, creates shadow zones within cupboards. Flat light or directional spotlights in cabinets illuminate the entire interior making organising, searching, and finding much easier.

### Loox

### Loox 1152 Led silicone strip light.

The LOOX **LED1152** is an elegant strip light made from silicone material. The light opening is on the narrow side of the strip, giving a slim and under-stated illumination without visible LED points. **LED1152** is designed for push-fitting into a groove cut-out or for sliding into and aluminium profile housing and is a gamorous feature to instantly illuminate the wardrobe in your home.



#### LOOX LED 1152

120 LEDs/m, 12 W/m, IP44, Energy efficiency class: A Features: For push fitting into groove, for sliding into aluminium profile. Splash proof for use in wet rooms.

Can be split once both pieces can be used with seperate lead. Light opening on the narrow side, LED points not visible.

Supplied with: 1 LED strip light with 2 x 2 m soldered lead 2.5 A/22 AWG (1 each on the left/right side of the strip).


Colour	Length mm	Wattage	Voltage	Art. No.
4000 K 4000 K 4000 K 3100 K 3100 K	1000 2500 3000 1000 2500	12 W 30 W 36 W 12 W 30 W	12 V	833.00.985 833.00.986 833.00.987 833.00.988 833.00.988 833.00.989
Description				Art. No.
Driver 20 W Driver 40 W Mains lead				833.74.960 833.74.962 833.89.001





## Designer Sliding Fittings

PREMIUM DESIGNER RANGE.







### Frontino 20 H

Base cabinet For running, for 2 doors, with installation instructions.

FOR CAB WIDTH MM	FOR DOOR WIDTH MM	CAT. NO.
1200-1399	597-696	406.02.060
1400-1599	697-796	406.02.061
1600-1799	797-896	406.02.063
1800-1999	897-996	406.02.064
2000-2199	997-1096	406.02.065
2200-2400	1097-1196	406.02.066





### Frontino 20 H OS

Wall cabinet For running, for 2 doors, with installation instructions.

FOR CAB WIDTH MM	FOR DOOR WIDTH MM	CAT. NO.
1200-1399	597-696	406.02.070
1400-1599	697-796	406.02.071
1600-1799	797-896	406.02.072
1800-1999	897-996	406.02.073
2000-2199	997-1096	406.02.074
2200-2400	1097-1196	406.02.075





**Tall cabinet** For running, for 2 doors, with installation instructions.

		FOR CAB WIDTH MM	FOR DOOR WIDTH MM	CAT. NO.
	S	1200-1799	594-893	406.02.055
$\rightarrow$	M	1800-2199	894-1093	406.02.056
	L	2200-2400	1094-1194	406.02.057

### Slido D-Line 42 100-S

#### BARN DOOR FITTING.

The rustic sliding door fitting for single-leaf timber sliding doors.





#### SLIDO D-LINE 42 100-S SLIDING DOOR FITTING

Rustic set with running track for single leaf sliding doors. **Door weight** ≤100 kg **Door thickness** 35-45 mm **Material/finish** Graphite Black, Steel

MODEL	DOOR WIDTH	LENGTH	CAT. NO.
D-line 42 100-S	750 - 1000 mm	2000 mm	941.32.000

Set includes: 2 Running gears, 1 Running track, 2 Stoppers (left and right), 1 Wall mounting set, 1 Anti-Derailment devices, 1 Floor guide, 1 Hex key, 1 Drill bit Ø8.5 mm

### Slido Design-M



#### SLIDO DESIGN 80-M SLIDING DOOR FITTING (WOOD/GLASS)

Invisible running equipment integrated in door.

For private residential areas, for 1-leaf doors, for hard fillors (laminate, PVC, tiles) and soft floors (carpet, cork - onliy in combination with bottom track).

**Door weight** ≤80 kg

Door width 800-1800 mm

**Door height** ≤2600 mm

For glass thickness Tempered safety glass: 5 and 6 mm | Laminated glass: 6-6.5 mm | Wooden Door thickness: 38-42 mm

Material/finish Silver coloured anodised or black anodised

Installation Wall mounting, floor must be even and level







View the Hawa Concepta in action.





### Hawa Concepta

Whisper-quiet sliding doors have always been around at Hawa Sliding Solutions. With hinged door soft closing mechanisms, the last possible sources of noise are now being attacked. If you listen carefully, you will be able to hear... nothing at all, actually.

#### HAWA CONCEPTA DAMPED HINGE

Features: Pivot/sliding system that is unique on the market, with hinged door soft closing mechanism invisibly integrated in the hinge! Extremely harmonious and smooth closing movement. Outstanding comfort due to impact noise elimination.



DESIGNER PRODUCT RANGE / 07.2021

 Hafele New Zealand Ltd.

 Auckland 16 Accent Drive, East Tamaki, Auckland

 Wellington The Wool Store, Level 1 262 Thorndon Quay, Wellington

 Christchurch 12 Sir James Wattie Drive, Hornby South, Sockburn, Christchurch

 Phone: 0800 442 335 | Email: info@hafele.co.nz | www.hafele.co.nz