

## LOOX CUSTOM LIGHTING ORDER FORM.

Customer Name:		Contact Person:	Order Number:	
STRIP LIGHTS	Select the type o	of strip light, colour and length	required	
<b>12V LED 2065</b> 8 mm   4.8W	Warm White 3000 K	Cool White 4000 K	Daylight White 5000 K Length: Qty:	
<b>12V LED 2068</b> 8 mm   9.6W	Warm White 3000 K Length: Qty:	Cool White 4000 K Length: Qty:	Daylight White 5000 K Length: Qty:	
<b>24V LED 3042</b> 8 mm   4.8W	Warm White 3000 K Length: Qty:	Cool White 4000 K Length: Qty:	Daylight White 5000 K Length: Qty:	
Include 2 m lead?	Yes No	Qty:		
			ria i.e. every 25 or 50 mm taking this into ing surplus strip will need to be hidden).	
How do you want to con	nnect your strip light to your	r driver? (use numeric values if g	greater then 1 strip)	
Interconnecting lead	2 m lead + 12V plu	g Extension lead	Rigid corner connector	
500 mm 2000 mm	Strip light to driver	1000 mm 2000 mm		
Quantity of drivers:	Qty: (Häfele will dete	rmine required wattage)		
DOWN LIGHTS	Recess mounted	d downlight		
<b>12V LED 2025</b> 58 mm cut-out   3.8W	Warm White 3000 K Square Round	Cool White 4000 K Black White	Daylight White 5000 K	
Include 2 m lead?	Yes No	Qty:		
SWITCHING OPTIONS	Optional extras			
Hand sensor	Motion detector Dim	mer on/off Pr	rofile dimmer Profile motion detector	
Connect Mesh 6-way distribu		butor block, y with switching option	Cable channel Black White	



## LOOX CUSTOM LIGHTING ORDER FORM.

Customer	Name:	C	ontact Person:		Order Number:
PROFILES	Select ti	ne type of extru	sion you like and v	ve will cut it to	your requirements
<b>Surface</b> 9.5 x	18 mm	Recessed 9	9.5 x 18 mm	Rec	essed 13 x 18 mm
Frosted Milky		Frosted Milky		Frosted	
	Surface 2101			Recessed 1	103
Black Silve			Black	Silver	
Include end caps?	Yes	No Qty:			
Harrida vari visuk vari		-4- 40:- :- 40- 6-		:	islant maint
How do you want you					_
90° LEFT, 90° RIGH	f 45° RIGHT	, 90° LEFT	45° LEFT, 90° F	RIGHT	45° LEFT, 45° RIGHT
Length: Qty:	Length:	Qty:	Length:	Qty:	Length: Qty:
	Please leave any cor	nments or drav	wings of your lighti	ng layout belo	w:

Note: Multiple drivers may be required for different lighting circuits. All leads, clips and connectors are supplied.