

Notified body No. 1121

## Certificate of constancy of performance

**1121-CPR- AG0127**

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Häfele Mortice Sashlocks – See Annex A

**Intended use: For use on fire/smoke compartmentation doors**

Essential characteristics	Performance	Harmonised technical specification
	Mechanical test evidence: 175339 & 177640 Fire test evidence: 176654	
Self-closing 5.4.2 Closing force	Grade 8 = 200kg door mass with 15N maximum closing force	EN 12209: 2003/AC 2005
5.1.2 Re-latching force of latch bolt	>2.5N	
Durability of self-closing 5.3.1 Durability of latch action	Grade S = 200,000 cycles with 50N side load on latch bolt.	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
Control of Dangerous substances	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

## Certificate of constancy of performance

**1121-CPR- AG0127**

Produced for

**Häefele GmbH & Co. KG  
Adolf-Häefele-Str. 1  
72202 Nagold  
Germany**

and produced in the manufacturing plant

**J/024**

**This is coded format and the information is held by the Notified Body**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 12209:2003/AC 2005**

under system 1 of AVCP are applied and that

***the product fulfils all the prescribed requirements set out above.***

This certificate was first issued on **06/02/18** and will remain valid to the date given below as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Valid to: **05/02/21**



Paul Duggan  
Certification Manager



**Exova (UK) Limited trading as Warrington Certification  
Holmesfield Road, Warrington, Cheshire, WA1 2DS, UK**

**Annex A**

<b>Mortice Sashlock Model Reference</b>
911.02.143
911.02.144
911.02.145
911.02.146
911.02.151
911.02.152
911.02.153
911.02.154
911.02.161
911.02.162
911.02.165
911.02.166