

## Leistungserklärung

DoP-Nr.: 926.98.B

- |           |                           |         |
|-----------|---------------------------|---------|
| <b>1.</b> | Typbezeichnung            | Türband |
| <b>2.</b> | Typen,- oder Seriennummer |         |

926.98.019	Tuerbd.S Edst.brueiniert KT 102x76x2,5mm	926.98.013	Tuerbd.S Edst.schw.matt KT 102x76x2,5mm
926.98.020	Tuerbd.S Edst.matt KT 102x76x2,5mm	926.98.021	Tuerbd.S Edst.poliert KT 102x76x2,5mm
926.98.028	Tuerbd.S Edst.messf. KT 102x76x2,5mm	926.98.029	Tuerbd.S Edst.brueiniert KT 102x76x2,5mm
926.98.023	Tuerbd.S Edst.schw.matt KT 102x76x2,5mm	926.98.030	Tuerbd.S Edst.matt KT 102x76x3mm
926.98.031	Tuerbd.S Edst.poliert KT 102x76x3mm	926.98.038	Tuerbd.S Edst.messf.pol.KT 102x76x3mm
926.98.039	Tuerbd.S Edst.brueiniert KT 102x76x3mm	926.98.049	Tuerbd.S Edst.brueiniert KT 102x76x3mm
926.98.059	Tuerbd.S Edst.brueiniert RD 102x76x3mm	926.98.069	Tuerbd.S Edst.brueiniert KT 102x76x3mm
926.98.099	Tuerbd.S Edst.brueiniert KT 102x102x3mm	926.98.109	Tuerbd.S Edst.brueiniert KT 102x89x3mm
926.98.119	Tuerbd.S Edst.brueiniert KT 114x102x3mm	926.98.129	Tuerbd.S Edst.brueiniert KT 114x102x3,5mm
926.98.139	Tuerbd.S Edst.brueiniert KT 127x89x3mm	926.98.149	Tuerbd.S Edst.brueiniert KT 127x102x3mm
926.98.079	Tuerbd.S Edst.brueiniert KT 102x102x3mm	926.98.089	Tuerbd.S Edst.brueiniert RD 102x102x3mm
926.98.033	Tuerbd.S Edst.schw.matt KT 102x76x3mm	926.98.043	Tuerbd.S Edst.schw.matt KT 102x76x3mm
926.98.053	Tuerbd.S Edst.schw.matt RD 102x76x3mm	926.98.063	Tuerbd.S Edst.schw.matt KT 102x76x3mm
926.98.093	Tuerbd.S Edst.schw.matt KT 102x102x3mm	926.98.103	Tuerbd.S Edst.schw.matt KT 102x89x3mm
926.98.113	Tuerbd.S Edst.schw.matt KT 114x102x3mm	926.98.123	Tuerbd.S Edst.schw.matt KT 114x102x3,5mm
926.98.133	Tuerbd.S Edst.schw.matt KT 127x89x3mm	926.98.143	Tuerbd.S Edst.schw.matt KT 127x102x3mm
926.98.073	Tuerbd.S Edst.schw.matt KT 102x102x3mm	926.98.083	Tuerbd.S Edst.schw.matt RD 102x102x3mm
926.98.040	Tuerbd.S Edst.matt KT 102x76x3mm	926.98.050	Tuerbd.S Edst.matt RD 102x76x3mm
926.98.060	Tuerbd.S Edst.matt KT 102x76x3mm	926.98.090	Tuerbd.S Edst.matt KT 102x102x3mm
926.98.100	Tuerbd.S Edst.matt KT 102x89x3mm	926.98.110	Tuerbd.S Edst.matt KT 114x102x3mm
926.98.120	Tuerbd.S Edst.matt KT 114x102x3,5mm	926.98.130	Tuerbd.S Edst.matt KT 127x89x3mm
926.98.140	Tuerbd.S Edst.matt KT 127x102x3mm	926.98.070	Tuerbd.S Edst.matt KT 102x102x3mm
926.98.080	Tuerbd.S Edst.matt RD 102x102x3mm	926.98.010	Tuerbd.S Edst.matt KT 102x76x2,5mm
926.98.041	Tuerbd.S Edst.poliert KT 102x76x3mm	926.98.051	Tuerbd.S Edst.poliert RD 102x76x3mm
926.98.061	Tuerbd.S Edst.poliert KT 102x76x3mm	926.98.091	Tuerbd.S Edst.poliert KT 102x102x3mm
926.98.101	Tuerbd.S Edst.poliert KT 102x89x3mm	926.98.111	Tuerbd.S Edst.poliert KT 114x102x3mm
926.98.121	Tuerbd.S Edst.poliert KT 114x102x3,5mm	926.98.131	Tuerbd.S Edst.poliert KT 127x89x3mm
926.98.141	Tuerbd.S Edst.poliert KT 127x102x3mm	926.98.071	Tuerbd.S Edst.poliert KT 102x102x3mm
926.98.081	Tuerbd.S Edst.poliert RD 102x102x3mm	926.98.011	Tuerbd.S Edst.poliert KT 102x76x2,5mm
926.98.048	Tuerbd.S Edst.messf.pol.KT 102x76x3mm	926.98.058	Tuerbd.S Edst.messf.pol.RD 102x76x3mm
926.98.068	Tuerbd.S Edst.messf.pol.KT 102x76x3mm	926.98.098	Tuerbd.S Edst.messf.pol.KT 102x102x3mm
926.98.108	Tuerbd.S Edst.messf.pol.KT 102x89x3mm	926.98.118	Tuerbd.S Edst.messf.pol.KT 114x102x3mm
926.98.128	Tuerbd.S Edst.messf.pol.KT 114x102x3,5mm	926.98.138	Tuerbd.S Edst.messf.pol.KT 127x89x3mm
926.98.148	Tuerbd.S Edst.messf.pol.KT 127x102x3mm	926.98.078	Tuerbd.S Edst.messf.pol.KT 102x102x3mm
926.98.088	Tuerbd.S Edst.messf.pol.RD 102x102x3mm	926.98.018	Tuerbd.S Edst.messf.pol.KT 102x76x2,5mm

- |           |                               |                                                                         |
|-----------|-------------------------------|-------------------------------------------------------------------------|
| <b>3.</b> | Vorgesehener Verwendungszweck | <b>Zur Verwendung an<br/>Feuerschutz-<br/>/Rauchschutztüren</b>         |
| <b>4.</b> | Name des Herstellers          | <b>Häfele GmbH &amp; Co KG<br/>Adolf-Häfele-Str. 1<br/>72202 Nagold</b> |

5. Gegebenenfalls Name und Kontaktanschrift des Bevollmächtigten, der mit den Aufgaben gemäß Artikel 12 Absatz 2 beauftragt ist: **Leitung Qualitätsmanagement**

6. System oder Systeme zur Bewertung und Überprüfung der Leistungsbeständigkeit des Bauprodukts gemäß Anhang V: **System 1**

7. Die notifizierende Stelle Überwachungsstelle **1121** hat die Erstinspektion des Werkes und der werkseigenen Produktionskontrolle sowie die laufende Überwachung, Bewertung und Evaluierung der werkseigenen Produktionskontrolle nach dem **System 1** vorgenommen und eine Bescheinigung der Konformität der werkseigenen Produktionskontrolle ausgestellt.

### Nr. 1121-CPR-AC5068

8. Wenn für das Bauprodukt eine Europäische Technische Bewertung ausgestellt ist:

**Nicht relevant**

9. Erklärte Leistung:

Wesentliche Merkmale	Leistung	Harmonisierte technische Spezifikation
Selbstschließend	Erfüllt	EN 1935:2002
Dauerfunktionstüchtigkeit	Erfüllt Klasse 7 – 200.000 Zyklen	
Gefährliche Substanzen	Erfüllt: Die Materialien des Türbandes enthalten weder gefährliche Stoffe, die in den zutreffenden Europäischen Werkstoffnormen und nationalen Bestimmungen des betreffenden Mitgliedslandes festgelegten Höchstwerte überschreiten, noch geben sie diese ab.	


Klasse: 4 7 6 1\* 1 4 0 13

10. Die Leistung des Produkts gemäß den Nummern 1 und 2 entspricht der erklärten Leistung nach Nummer 9. Verantwortlich für die Erstellung dieser Leistungserklärung ist allein der Hersteller gemäß Nummer 4.

Unterzeichnet für den Hersteller und im Namen des Herstellers von:

José Lorca Ltg. Category Management Häfele Gruppe  
(Name und Funktion)

Nagold, 16.10.2017  
(Ort und Datum der Ausstellung)

i.V.   
(Unterschrift)

## Declaration of Performance

DoP-No.: 926.98.B

- |           |                        |                   |
|-----------|------------------------|-------------------|
| <b>1.</b> | Type designation       | <b>Butt Hinge</b> |
| <b>2.</b> | Model or serial number |                   |

926.98.019	Butt hing.fl.stst.ant.br.sq.102x76x2,5mm	926.98.013	Bt. hinge fl.stst.bl.sat.sq.102x76x2,5mm
926.98.020	Butt hinge fl.stst.satin sq.102x76x2,5mm	926.98.021	Butt hinge fl.stst.pol.sq.102x76x2,5mm
926.98.028	Butt hing.fl.stst.br.pol.sq.102x76x2,5mm	926.98.029	Butt hing.fl.stst.ant.br.sq.102x76x2,5mm
926.98.023	Bt. hinge fl.stst.bl.sat.sq.102x76x2,5mm	926.98.030	Butt hinge fl.stst.satin sq.102x76x3mm
926.98.031	B.hing.fl.stst.polished sq.102x76x3mm	926.98.038	Butt hing.fl.stst.br.pol.sq.102x76x3mm
926.98.039	Butt hing.fl.stst.ant.br.sq.102x76x3mm	926.98.049	Butt hing.fl.stst.ant.br.sq.102x76x3mm
926.98.059	Butt hing.fl.stst.ant.br.rd.102x76x3mm	926.98.069	Butt hing.fl.stst.ant.br.sq.102x76x3mm
926.98.099	Butt hing.fl.stst.ant.br.sq.102x102x3mm	926.98.109	Butt hing.fl.stst.ant.br.sq.102x89x3mm
926.98.119	Butt hing.fl.stst.ant.br.sq.114x102x3mm	926.98.129	B.hing.fl.stst.ant.br.sq.114x102x3,5mm
926.98.139	Butt hing.fl.stst.ant.br.sq.127x89x3mm	926.98.149	Butt hing.fl.stst.ant.br.sq.127x102x3mm
926.98.079	Butt hing.fl.stst.ant.br.sq.102x102x3mm	926.98.089	Butt hing.fl.stst.ant.br.rd.102x102x3mm
926.98.033	Bt. hinge fl.stst.bl.sat.sq.102x76x3mm	926.98.043	Bt. hinge fl.stst.bl.sat.sq.102x76x3mm
926.98.053	Bt. hinge fl.stst.bl.sat.rd.102x76x3mm	926.98.063	Bt. hinge fl.stst.bl.sat.sq.102x76x3mm
926.98.093	Bt. hinge fl.stst.bl.sat.sq.102x102x3mm	926.98.103	Bt. hinge fl.stst.bl.sat.sq.102x89x3mm
926.98.113	Bt. hinge fl.stst.bl.sat.sq.114x102x3mm	926.98.123	Bt.hinge fl.stst.bl.sat.sq.114x102x3,5mm
926.98.133	Bt.hinge fl.stst.bl.sat.sq.127x89x3mm	926.98.143	Bt.hinge fl.stst.bl.sat.sq.127x102x3mm
926.98.073	Bt. hinge fl.stst.bl.sat.sq.102x102x3mm	926.98.083	Bt. hinge fl.stst.bl.sat.rd.102x102x3mm
926.98.040	Butt hinge fl.stst.satin sq.102x76x3mm	926.98.050	Butt hinge fl.stst.satin rd.102x76x3mm
926.98.060	Butt hinge fl.stst.satin sq.102x76x3mm	926.98.090	Butt hinge fl.stst.satin sq.102x102x3mm
926.98.100	Butt hinge fl.stst.satin sq.102x89x3mm	926.98.110	Butt hinge fl.stst.satin sq.114x102x3mm
926.98.120	Butt hinge fl.stst.sat.sq.114x102x3,5mm	926.98.130	Butt hinge fl.stst.satin sq.127x89x3mm
926.98.140	Butt hinge fl.stst.satin sq.127x102x3mm	926.98.070	Butt hinge fl.stst.satin sq.102x102x3mm
926.98.080	Butt hinge fl.stst.satin rd.102x102x3mm	926.98.010	Butt hinge fl.stst.satin sq.102x76x2,5mm
926.98.041	Butt hinge fl.stst.pol.sq.102x76x3mm	926.98.051	Butt hinge fl.stst.pol.rd.102x76x3mm
926.98.061	Butt hinge fl.stst.pol.sq.102x76x3mm	926.98.091	Butt hinge fl.stst.pol.sq.102x102x3mm
926.98.101	Butt hinge fl.stst.pol.sq.102x89x3mm	926.98.111	Butt hinge fl.stst.pol.sq.114x102x3mm
926.98.121	Butt hinge fl.stst.pol.sq.114x102x3,5mm	926.98.131	Butt hinge fl.stst.pol.sq.127x89x3mm
926.98.141	Butt hinge fl.stst.pol.sq.127x102x3mm	926.98.071	Butt hinge fl.stst.pol.sq.102x102x3mm
926.98.081	Butt hinge fl.stst.pol.rd.102x102x3mm	926.98.011	Butt hinge fl.stst.pol.sq.102x76x2,5mm
926.98.048	Butt hing.fl.stst.br.pol.sq.102x76x3mm	926.98.058	Butt hing.fl.stst.br.pol.rd.102x76x3mm
926.98.068	Butt hing.fl.stst.br.pol.sq.102x76x3mm	926.98.098	Butt hing.fl.stst.br.pol.sq.102x102x3mm
926.98.108	Butt hing.fl.stst.br.pol.sq.102x89x3mm	926.98.118	Butt hing.fl.stst.br.pol.sq.114x102x3mm
926.98.128	B.hing.fl.stst.br.pol.sq.114x102x3,5mm	926.98.138	Butt hing.fl.stst.br.pol.sq.127x89x3mm
926.98.148	Butt hing.fl.stst.br.pol.sq.127x102x3mm	926.98.078	Butt hing.fl.stst.br.pol.sq.102x102x3mm
926.98.088	Butt hing.fl.stst.br.pol.rd.102x102x3mm	926.98.018	Butt hing.fl.stst.br.pol.sq.102x76x2,5mm

- |           |                                                                                                                                                  |                                                                         |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>3.</b> | Intended purpose of use                                                                                                                          | <b>For use on fire/smoke compartmentation doors</b>                     |
| <b>4.</b> | Manufacturer                                                                                                                                     | <b>Häfele GmbH &amp; Co KG<br/>Adolf-Häfele-Str. 1<br/>72202 Nagold</b> |
| <b>5.</b> | If applicable, name and contact address of the authorised representative who is commissioned with the tasks in acc. with article 12 paragraph 2: | <b>Head of Quality Management</b>                                       |

6. System or systems for evaluation and reviewing of consistent performance of the construction product as per Annex V:

**System 1**

7. The notifying authority, monitoring authority 1121 has carried out the initial inspection of the plant and factory production control and the continuous surveillance, assessment and evaluation of factory production control in accordance with **System 1** and issued a certificate of conformity for factory production control.

**No. 1121-CPR-AC5068**

8. If a European Technical Assessment has been issued for the construction product:

**Not relevant**

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Self-closing ability	Pass	EN 1935:2002
Durability	Pass Class 7 - 200.000 cycles	
Control of dangerous substances	Pass the materials in the Butt hinge do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any regulations	


Class: 4 7 6 1\* 1 4 0 13

10. The performance of the product in accordance with numbers 1 and 2 corresponds to the declared performance in accordance as per number 9. The manufacturer is solely responsible for the production of this declaration of performance in accordance with number 4.

Signed for the manufacturer and on behalf of the manufacturer:

José Lorca Head of Category Management Häfele Group  
(Name and Function)

Nagold, 16.10.2017  
(Place and date of issue)

  
(Signature)