

# sliderL100

**Sistema di scorrimento  
complanare a due ante  
ammortizzato**  
- H33.

**Coplanar two-door  
cushioned sliding system**  
- H33.

---

**Système coulissant coplanaire  
amorti à deux portes**  
- H33.

---

**Flächenbündiges,  
gedämpftes Gleitsystem  
mit zwei Türen**  
- H33.

**Sistema de deslizamiento  
coplanario de dos puertas  
amortiguado**  
- H33.

Lavorazioni sulla  
struttura.  
Lavorazioni sull'anta.

Drilling and machining  
the cabinet.  
Working on the door.

---





Usinage du meuble.  
Plan de perçage de la  
porte.

---


Arbeiten am Korpus.  
Bearbeitung der Tür.



Trabajos en la estructura.  
Trabajos en la puerta.








NO SCALE














LI	A	B	C	D	E	F	G	H	I	J	K			
1600-1799	1400	108.5	1520	210	-	370	-	-	354	354	-	x 8	x 6	
1800-1999	1600	158.5	1720	260	-	420	-	-	404	404	-			
2000-2199	1800	208.5	1920	310	-	470	235	-	454	454	-	x 10		
2200-2399	2000	258.5	2120	360	-	520	260	-	504	504	-			
2400-2599	2200	308.5	2320	410	-	570	285	-	554	554	-	x 12		x 8
2600-2799	2500	408.5	2520	460	230	620	310	-	402	404	402			
2800-2999	2700	458.5	2720	510	255	670	335	-	436	436	436			
3000-3199	2900	508.5	2920	560	280	720	360	-	469	470	469			
3200-3399	3100	558.5	3120	610	305	770	385	-	502	504	502			
3400-3599	3300	608.5	3320	660	330	820	410	-	536	536	536			
3600-3799	3500	658.5	3520	710	355	870	435	-	569	570	569	x 14		
3800-3999	3700	708.5	3720	760	380	920	306	308	602	604	602			

















NO SCALE  


LI	L	M	N	O	P	Q
1600-1799	154	303	181	304.5	421.5	353
1800-1999	204	353	181	354.5	471.5	403
2000-2199	254	403	181	404.5	521.5	453
2200-2399	304	453	181	454.5	571.5	503
2400-2599	354	503	181	504.5	621.5	553
2600-2799	354	503	231	554.5	671.5	603
2800-2999	354	503	281	604.5	721.5	653
3000-3199	354	503	331	654.5	771.5	703
3200-3399	354	503	381	704.5	821.5	753
3400-3599	354	503	431	754.5	871.5	803
3600-3799	354	503	481	804.5	921.5	853
3800-3999	354	503	531	854.5	971.5	903








NO SCALE

LI	L	M	N	O	P	Q
1600-1799	154	303	181	304.5	421.5	353
1800-1999	204	353	181	354.5	471.5	403
2000-2199	254	403	181	404.5	521.5	453
2200-2399	304	453	181	454.5	571.5	503
2400-2599	354	503	181	504.5	621.5	553
2600-2799	354	503	231	554.5	671.5	603
2800-2999	354	503	281	604.5	721.5	653
3000-3199	354	503	331	654.5	771.5	703
3200-3399	354	503	381	704.5	821.5	753
3400-3599	354	503	431	754.5	871.5	803
3600-3799	354	503	481	804.5	921.5	853
3800-3999	354	503	531	854.5	971.5	903




















NO SCALE

LI	L	M	N	O	P	Q
1600-1799	154	303	181	304.5	421.5	353
1800-1999	204	353	181	354.5	471.5	403
2000-2199	254	403	181	404.5	521.5	453
2200-2399	304	453	181	454.5	571.5	503
2400-2599	354	503	181	504.5	621.5	553
2600-2799	354	503	231	554.5	671.5	603
2800-2999	354	503	281	604.5	721.5	653



NO SCALE

LI	L	M	N	O	P	Q
1600-1799	154	303	181	304.5	421.5	353
1800-1999	204	353	181	354.5	471.5	403
2000-2199	254	403	181	404.5	521.5	453
2200-2399	304	453	181	454.5	571.5	503
2400-2599	354	503	181	504.5	621.5	553
2600-2799	354	503	231	554.5	671.5	603
2800-2999	354	503	281	604.5	721.5	653









NO SCALE

















LI	L	M	N	O	P	Q
1600-1799	154	303	181	304.5	421.5	353
1800-1999	204	353	181	354.5	471.5	403
2000-2199	254	403	181	404.5	521.5	453
2200-2399	304	453	181	454.5	571.5	503
2400-2599	354	503	181	504.5	621.5	553
2600-2799	354	503	231	554.5	671.5	603
2800-2999	354	503	281	604.5	721.5	653



LI	L	M	N	O	P	Q
1600-1799	154	303	181	304.5	421.5	353
1800-1999	204	353	181	354.5	471.5	403
2000-2199	254	403	181	404.5	521.5	453
2200-2399	304	453	181	454.5	571.5	503
2400-2599	354	503	181	504.5	621.5	553
2600-2799	354	503	231	554.5	671.5	603
2800-2999	354	503	281	604.5	721.5	653



NO SCALE





